

7610 – 116A Street
Delta B.C. Canada
V4C – 5Y2

Page 1

Product name: Acrylic Latex Interior/Exterior Primer / Sealer # CH1310WS/B/G**Product use:** Protective/decorative coating**Pin/un:** N/App

Emergency Assistance

For 24-hour emergency assistance call Canutec 1 (613) 996-6666

For assistance 8:00 am to 4:00 pm, (weekdays) (604) 940-2550

Hazardous Ingredients

Ingredient(s)	%	CAS #	LD 50	LC 50
Diethylene Glycol Mono-Butyl-Ether	1 - 4	112-34-5	6.5 G/Kg (Rat)	No Data
Ethylene Glycol	1 - 2	107-21-1	4 G/KG (Rat)	LCLO = 10000 Mg/M ³ (Rat)

Physical Data

Physical State:	liquid	Specific Gravity:	1.10 - 1.25
Boiling Point:	100 C	Vapor Density:	Heavier than air
Vapor Pressure:	No Data	Evaporation Rate:	Equals Water
Odor Threshold:	No Data	Freezing Point:	0 deg C.
Odor & Appearance:	Slight ammonia odor, viscous opaque or colored liquid		

Fire and Explosion Data

Whims Class:	Non- combustible liquid		
Flash point:	N/App	Auto ignition Temp:	N/App
UEL (% vol):	N/App	LEL (% vol):	N/App

Reactivity Data

Stability:	Stable	Incompatibility:	Strong oxidizing agents
Haz. Decomp. Products:	Carbon Dioxide, Carbon Monoxide,		

Special Precautions

Storage:	Keep from freezing.		
Shipping:	TDG Class: Non-Reg.	Packing Group:	N.A.
	IMO Class:	ICAO Class:	

Toxicological Properties

Skin Contact: Repeated exposure and washing may dry the skin.**Eye Contact:** Liquid and mists can irritate the eyes.

7610 – 116A Street
Delta B.C. Canada
V4C – 5Y2

Page 2

Inhalation: Mists developed during spray application may cause upper respiratory irritation.
Ingestion: May cause dizziness, nausea and abdominal pains.
Classification: WHMIS Class D Division 2 - B
Carcinogenicity: Not considered a carcinogen by IARC, NTP or OSHA.
Other: Contains Ethylene Glycol. Extreme exposures to mists, vapors or ingestion of large amounts may cause liver, kidney, and red blood cell damage or central nervous system depression.

Preventative Measures

Ventilation: General ventilation is normally adequate.
Respiratory: If use conditions create vapors or mists, or limited ventilation is available, a NIOSH approved organic vapor mask with a dust/mist pre-filter is recommended.
Clothing: Long sleeved cover-alls, rubber gloves and safety shoes are recommended.
Eyes: Goggles are recommended for spray application.
Other: Wash hands and face thoroughly before eating or handling food.

First Aid Measures

Skin Contact: Wash skin thoroughly with a mild soap and water. Consult a doctor if irritation develops.
Eye Contact: Flush eyes thoroughly with clean water. Consult a doctor if irritation develops.
Inhalation: Remove to fresh air. Apply artificial respiration if patient is not breathing. Get immediate medical attention.
Ingestion: If conscious, give victim 2 glasses of clean water and induce vomiting by placing a spoon or finger at the back of the throat. Do not give anything to an unconscious or convulsing person. Get immediate medical attention.

Spill And Leak Procedures

In Case of Spill or Leak: Keep spectators away. Floor may be slippery. Contain spill with inert material or absorbent. Do not allow entering drain or waterways. Transfer liquid material to containers for recovery or disposal and solid containment material to separate containers for disposal.
Disposal: Coagulate the liquid material with stepwise additions of ferric chloride and lime. Remove the clear supernatant liquid and flush to a chemical sewer. Landfill the solids and contaminated containment materials according to local, Provincial and Federal regulations.
Note: Dispose of contaminated product and materials used for clean-up in a manner approved by local, Provincial or Federal laws and regulations.

Preparation Of MSDS

Department: Technical

Date: June 2001

SOURCES: THE INFORMATION USED TO PREPARE THIS MATERIAL SAFETY DATA SHEET IS BASED ON INFORMATION PROVIDED BY OUR RAW MATERIAL SUPPLIERS.

THE INFORMATION AND RECOMMENDATIONS ON THIS MATERIAL SAFETY DATA SHEET HAVE BEEN COMPILED FROM THE SOURCES BELIEVED TO BE RELIABLE AND WHICH REPRESENT THE MOST CURRENT DATA ON OUR POSSESSION ON THE SUBJECT AT THE DATE THAT THIS MSDS WAS PREPARED. NO WARRANTY OR GUARANTEE, EXPRESSED OR IMPLIED, IS MADE AS TO THE ACCURACY OR COMPLETENESS OF THE DATA CONTAINED HEREIN.

THE USER SHOULD CONSIDER THE DATA ONLY AS A SUPPLEMENT TO OTHER

Modco Technology Canada Ltd

Material Safety Data
CH1310WS/B/G

MSDS -

7610 – 116A Street
Delta B.C. Canada
V4C – 5Y2

Page 3

INFORMATION GATHERED BY THEM AND MUST MAKE INDEPENDENT DETERMINATIONS OF SUITABILITY AND COMPLETENESS OF INFORMATION FROM ALL SOURCES TO ASSURE PROPER USE AND DISPOSAL OF THESE MATERIALS AND THE SAFETY OF EMPLOYEES.